

Showcase Specification	Types	Square	Rectangular	Triangular	Hexagonal	Wall hanging showcase	Showcase with glass hood	Table showcase
		Type 2000	Type 2100	Type 2200 Pentagonal Type 2300	Type 2400 Octagonal Type 2500	Type 2600 Wall hood showcase Type 2700	Type 2800	Type 2900
Dimensions:								
Width 600 mm, Depth 600 mm, Height 1.900 mm	2000	●						
Width 600 mm, Depth 600 mm, Height 1.000 mm	2010	●						
Width 1.200 mm, Depth 600 mm, Height 1.900 mm	2100		●					
Width 1.200 mm, Depth 600 mm, Height 1.000 mm	2110		●					
Leg length 600 mm, Height 1.900 mm	2200 2300			● ●				
Leg length 600 mm, Height 1.000 mm	2210 2310			● ●				
Diameter 900 mm, Height 1.900 mm	2400 2500				● ●			
Diameter 900 mm, Height 1.000 mm	2410 2510				● ●			
Width 600 mm, Depth 300 mm, Height 1.000 mm	2600					●		
Width 1.200 mm, Depth 300 mm, Height 1.000 mm	2600					●		
Width 600 mm, Depth 150 mm, Height 1.000 mm	2700					●		
Width 1.200 mm, Depth 150 mm, Height 1.000 mm	2700					●		
Width 500 mm, Depth 500 mm, Height 1.500 mm Glass hood: Height 500 mm	2800					●	●	
Width 1.200 mm, Depth 600 mm, Height 1.000 mm Glass hood: Height 150 mm	2900							●
Optionally available: special width, depth and height (also glass hood)		●	●	●	●	●	●	●

Showcase Specification	Types	Square	Rectangular	Triangular	Hexagonal	Wall hanging showcase	Showcase with glass hood	Table showcase
		Type 2000	Type 2100	Type 2200 Pentagonal Type 2300	Type 2400 Octagonal Type 2500	Type 2600 Wall hood showcase Type 2700	Type 2800	Type 2900
Pedestal design: S								
S - Adjustable feet to compensate floor unevenness		●●	●●	●●	●●		●●	●●
S1 - Frame, Height 28 mm		●●	●●	●● ●●	●● ●●	●●		
S2 - Optional: protruding, Height 70mm		●	●	● ●	● ●	●		
S3 - Optional: table form, 400 mm to 1.000 mm high		●	●					●●
S4 - Optional: enclosed, 400 mm to 1.000 mm high ①		●	●	● ●	● ●		●●	●
S5 - Optional: lateral support, 400 mm to 1.000 mm high ②		●	●				●	●
S6 - Optional: drawer cabinet, 400 mm to 1.000 mm high, 5 drawers		●	●					●
S7 - Optional: base cabinet with hinged doors, 400 mm to 1.000 mm high		●	●				●	●
Lighting systems: B								
B1 - Illumination hood, straight, Height 70 mm		●●	●●	●● ●●	●●	●●		
B2 - Optional: illumination hood, bevelled inwards, Height 70mm		●	●	●	●	●		
B3 - Optional: illumination hood, bevelled outwards, Height 70mm		●	●	●	●	●		
B4 - Optional: Ceiling cover with built-in low-voltage spots		● (1)*	● (2)*	● (3)*	● (3)*	●		
B5 - Optional: Vertical low-voltage lighting rail with halogen spots		● (3)**	● (3)**	● (3)**	● (3)**	●		
B6 - Optional: Fluorescent mini tube lighting								●
Ceiling rim:								
Frame identical to pedestal, Height 28 mm		●●	●●	●●	●●	●●		

●● = Standard Technical modifications reserved

① From S4: wooden pedestal ② Drawers with 2/3 extension * Number of halogen spots ** Low version: 2 spots

Showcase Specification	Square Type 2000	Rectangular Type 2100	Triangular Type 2200 Pentagonal Type 2300	Hexagonal Type 2400 Octagonal Type 2500	Wall hanging showcase Type 2600 Wall hood showcase Type 2700	Showcase with glass hood Type 2800	Table showcase Type 2900
	Dust protection:						
Dust-proof design	●●	●●	●● ●●	●●	●● ●●	●●	●●
Optional: dust-proof, sealed design	●	●	● ●	●	● ●	●	●
Optional: knock-down design	●	●	● ●	●			
Glazing:							
8 mm polished plate glass	●●	●●	●● ●●	●● ●●	●● ●●	●●	●●
Optional: 8 mm single-pane safety glass	●	●	● ●	● ●	● ●	●	●
Optional: 8 mm laminated safety glass	●	●	● ●	● ●	● ●	●	●
Optional: Alarm technology on request	●	●	● ●	● ●	● ●	●	●
Interior design:							
Optional: adjustable closed rear wall	●	●	● ●		●● ●●		
Optional: adjustable pedestal base, varnished or fabric cover	●	●	● ●	● ●		●	
Carrier rod system to secure the glass shelves, infinitely height-adjustable	●	●	● ●	●● ●●			
Rope-suspended system to secure the glass shelves, infinitely height adjustable	●●	●●	●● ●●		●●		
Optional: No. of glass shelves, standard: 3 glass shelves for high, 1 for low showcase versions, 1 for Type 2600	●●	●●	●● ●●	●● ●●	●●		
Lacquering:							
Two-component lacquer, RAL 9002, grey-white	●●	●●	●● ●●	●● ●●	●● ●●	●●	●●
Optional: Two-component lacquer based on RAL chart	●	●	● ●	● ●		●	●
Optional: Nextel lacquering based on colour chart	●	●	● ●	● ●		●	●

●● = Standard Technical modifications reserved